Loss Prevention Certification Board



This is to certify

HOCHIKI CORPORATION

141-1 Maehara, Ejiri, Kakuda-Shi, Miyagi 981-15, Japan

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix.

DCD-1E-IS, DFJ-AE3, DFJ-CE3, DCD-AE3, DFG-60BLKJ,
DCD-CE3, ATG-E, ATG-E(NP), ACB-E, ACB-EW, DCC-1EL, DCD-AE3M and
DCD-CE3M Heat Detectors

(refer to attached appendix for details)

which have complied with the requirements of the following:

EN 54: Part 5 : 2000 – Fire detection and fire alarm systems-Heat detectors – Point detectors.

Certificate No. 117g

Issue No. 8

Date of Issue 10 February 2006

This certificate is valid until withdrawn by LPCB.

To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB





Name: R PHILLIPS

LPCB is part of BRE Certification Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com
This certificate remains the property of BRE Certification Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.

Loss Prevention Certification Board



APPENDIX TO CERTIFICATE NO. 117g

HOCHIKI CORPORATION

Products		LPCB Ref. No.
DCD-1E-IS	Class A1 conventional intrinsically safe fixed temp and rate of rise heat detector (YBN-R/4IS¹ base)	117g/01
DFJ-AE3	Class A1S conventional fixed temperature heat detector (YCA-RL/3H2M ¹ , YBN-R6 SK ¹ and YBN-R/6 ¹ bases)	117g/02
DFJ-CE3	Class CS conventional fixed temperature heat detector (YCA-RL/3H2M ¹ , YBN-R6 SK ¹ and YBN-R/6 ¹ bases)	117g/03
DCD-AE3	Class A1R conventional rate of rise temperature heat detector (YCA-RL/3H2M ¹ , YBN-R6 SK ¹ and YBN-R/6 ¹ bases)	117g/04
DCD-AE3M	Conventional Class A1R rate of rise temperature heat detector (YBN-R/6M base)	117g/04
DFG-60BLKJ	Class A2 conventional fixed temperature water resistant heat detector	117g/05
DCD-CE3	Class CR conventional rate of rise high temperature heat detector (YCA-RL/3H2M ¹ , YBN-R6 SK ¹ and YBN-R/6 ¹ bases)	117g/06
DCD-CE3M	Conventional Class CR rate of rise high temperature heat detector (YBN-R/6M base)	117g/06
ATG-E	Analogue addressable heat sensor (YBN-R/3 ¹ and YBO-R/SCI ¹ bases) ^{LP} Note: meets the requirements of EN54-5 at heat classes A1S, BS and CS	117g/07
ATG-E(NP)	Analogue addressable heat sensor (YBO-R/3 ¹ , YBO-RSCI/NS ¹ and YBO-R/SCI ¹ bases) ^{LP} Note: meets the requirements of EN54-5 et heat classes A1S, BS and CS	117g/08

For details of Cross-Listed products and alternative branding please see page 4.

This certificate is valid until withdrawn by LPCB.

To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB

Page 2 of 4

Date of Issue 10 February 2006

Issue No. 8

Name: R PHILLIPS

LPCB is part of BRE Certification Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com
This certificate remains the property of BRE Certification Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.

revention Certification Board



APPENDIX TO CERTIFICATE NO. 117g

HOCHIKI CORPORATION

LPCB Ref. No. Products

117g/09 Analogue addressable Class P heat detector ACB-E

(YBN-R/31 and YBO-R/SCI1 bases)

Note: Meets requirements of EN 54-5:2000 for classes A1R, A1S, BR, BS, CR and CS when used with ACB-E protocol and classes A1S, BS and CS

when used with ATG-E protocol.

117g/10 ACB-EW Weather proof analogue addressable Class P heat detector

Note: Meets requirements of EN 54-5:2000 for classes A1R, A1S, BR, BS, CR and CS when used with ACB-E protocol and classes A1S, BS and CS

when used with ATG-E protocol.

117g/11 DCC-1EL Conventional Class A2R heat detector

(YBF-RL/4H3H¹ and YBF-RL/4H5H¹ bases)

Bases:

YBN-R/4IS Conventional Intrinsically Safe Mounting base

YCA-RL/3H2M Addressable base YBN-R6 SK Schottky diode base Standard base YBN-R/6 YBN-R/3 Standard base

Positive Switching Short circuit isolating base YBO-R/SCI YBO-RSCI/NS Negative Switching Short circuit isolating base

YBF-RL/4H3H 2 wire common mounting base YBF-RL/4H5H 2 wire common mounting base

Standard Base YBN-R/6M

Bases manufactured by Hochiki Europe. All other bases manufactured by Hochiki corporation.

LP Denotes detector/base combination also approved in low power mode.

For details of Cross-Listed products and alternative branding please see page 4.

This certificate is valid until withdrawn by LPCB. To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB

Page 3 of 4

Date of Issue 10 February 2006

Issue No. 8

Name: R PHILLIPS

LPCB is part of BRE Certification Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100 Fax +44 (0)1923 664603 www.RedBookLive.com This certificate remains the property of BRE Certification Ltd and is issued subject to terms and conditions

Loss Prevention Certification Board



APPENDIX TO CERTIFICATE NO. 117g

HOCHIKI CORPORATION

LPCB Ref No.	Model No.	Alternative Model No.	Labelled
117g/04	DCD-AE3	DCD-AE3M	Hochiki
117g/06	DCD-CE3	DCD-CE3M	Hochiki
164g	YBN-R/6	YBN/R6M	Hochiki

For details of Cross-Listed products and alternative branding please see page 4.

This certificate is valid until withdrawn by LPCB.

To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB

Page 4 of 4

Date of Issue 10 February 2006

Issue No. 8

Name: R PHILLIPS

LPCB is part of BRE Certification Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com
This certificate remains the property of BRE Certification Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.